


SPECIFICATION FOR APPROVAL

CUSTOMER:				DATE:	
PART NO: CB2012-102Y-N				DWG.NO: TE2000050	
CUSTOMER PART NO:				CUST.DWG.NO:	
(1) DIMENSIONS (UNIT: mm) 				A	2.0 ± 0.2 m/m
				B	1.2 ± 0.2 m/m
				C	0.9 ± 0.2 m/m
				D	0.5 ± 0.3 m/m
				E	m/m
				F	m/m
				G	m/m
				H	m/m
				I	m/m
				J	m/m
(2) ELECTRICAL REQUIREMENTS					
Z (Ω)	1000 ± 25%	TEST FREQ	100MHz / 100mV		
RDC (Ω)	0.45 (MAX)	TEST FREQ			
IDC (mA)	200 (MAX)	TEST FREQ			
TEST INSTRUMENTS HP4338A MILLIOHMMETER HP4291B RF IMPEDANCE/MATERIAL ANALYZER				APPROVED BY 吳載敏	
				CHECKED BY 張明德	
				DRAWN BY 黃慧診	

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB: www.coremaster.com.tw

TEST DATA

CUSTOMER :				DATE :					
PART NO: CB2012-102Y-N				DWG.NO: TE2000050					
CUSTOMER PART NO :				CUST.DWG.NO :					
ITEM	Z (Ω)	RDC (Ω)	IDC (mA)	DIMENSION (UNIT : mm)					
FREQ	100MHz / 100mV			A	B	C	D		
SPEC	1000 ± 25%	0.45 (MAX)	200 (MAX)	2.0 ± 0.2	1.2 ± 0.2	0.9 ± 0.2	0.5 ± 0.3		
1	974.7	0.233	OK	2.01	1.25	0.88	0.48		
2	1001.9	0.218	OK	2.03	1.21	0.90	0.50		
3	994.8	0.234	OK	2.02	1.24	0.89	0.52		
4	1003.2	0.228	OK	2.01	1.21	0.88	0.51		
5	1000.6	0.229	OK	2.03	1.22	0.89	0.53		
6	1006.9	0.227	OK	2.04	1.23	0.90	0.52		
7	1036.1	0.238	OK	2.01	1.21	0.87	0.48		
8	977.6	0.229	OK	2.02	1.24	0.91	0.50		
9	965.5	0.217	OK	2.01	1.22	0.89	0.51		
10	1004.8	0.219	OK	2.03	1.21	0.88	0.52		
$\bar{X}$	996.6	0.227		2.02	1.22	0.89	0.51		
R	70.6	0.021		0.03	0.04	0.04	0.05		
						APPROVED BY 吳載敏			
						CHECKED BY 張明德			
						DRAWN BY 黃慧診			

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB: www.coremaster.com.tw

CB2012-102Y-N

