


SPECIFICATION FOR APPROVAL

CUSTOMER:				DATE:			
PART NO: CB3216-202Y-N				DWG.NO: TE2218320			
CUSTOMER PART NO:				CUST.DWG.NO:			
(1) DIMENSIONS (UNIT: mm) 				A	3.2 ± 0.2	m/m	
				B	1.6 ± 0.2	m/m	
				C	1.1 ± 0.2	m/m	
				D	0.5 ± 0.3	m/m	
				E		m/m	
				F		m/m	
				G		m/m	
				H		m/m	
				I		m/m	
				J		m/m	
(2) ELECTRICAL REQUIREMENTS							
Z (Ω)	2000 ± 25%	TEST FREQ	30MHz / 100mV				
RDC (Ω)	0.6 (MAX)	TEST FREQ					
IDC (mA)	100 (MAX)	TEST FREQ					
				APPROVED BY 吳載敏			
				CHECKED BY 張明德			
				DRAWN BY Vicky			

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB: www.coremaster.com.tw

TEST DATA

CUSTOMER :				DATE :					
PART NO: CB3216-202Y-N				DWG.NO: TE2218320					
CUSTOMER PART NO :				CUST.DWG.NO :					
ITEM	Z (Ω)	RDC (Ω)	IDC (mA)	DIMENSION (UNIT : mm)					
				A	B	C	D		
FREQ	30MHz / 100mV								
SPEC	2000 $\pm 25\%$	0.6 (MAX)	100 (MAX)	3.2 ± 0.2	1.6 ± 0.2	1.1 ± 0.2	0.5 ± 0.3		
1	1953	0.309	OK	3.19	1.64	1.10	0.51		
2	1851	0.306	OK	3.24	1.65	1.10	0.54		
3	1910	0.301	OK	3.25	1.63	1.12	0.52		
4	1791	0.303	OK	3.24	1.64	1.10	0.53		
5	1930	0.308	OK	3.20	1.65	1.10	0.52		
6	1843	0.306	OK	3.22	1.61	1.10	0.53		
7	1858	0.305	OK	3.24	1.63	1.09	0.53		
8	1840	0.295	OK	3.21	1.62	1.11	0.51		
9	1922	0.307	OK	3.23	1.61	1.12	0.53		
10	1931	0.314	OK	3.24	1.61	1.12	0.50		
X	1883	0.305		3.23	1.63	1.11	0.52		
R	162	0.019		0.06	0.04	0.03	0.04		
TEST INSTRUMENTS HP4338A MILLIOHMMETER HP4291B FR IMPEDANCE/MATERIAL ANALYZER						APPROVED BY			
						吳載敏			
						CHECKED BY			
						張明德			
						DRAWN BY			
						Vicky			

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB: www.coremaster.com.tw

CB3216-202Y-N

