


SPECIFICATION FOR APPROVAL

CUSTOMER:				DATE:	
PART NO: WCB3216-222Y-N				DWG.NO: SI2717803	
CUSTOMER PART NO:				CUST.DWG.NO:	
(1) DIMENSIONS (UNIT: mm) 				A	3.20 ± 0.20 m/m
				B	1.60 ± 0.20 m/m
				C	2.00 ± 0.20 m/m
				D1	0.50 (REF) m/m
				D2	0.50 (REF) m/m
				E	0.15 (REF) m/m
				F	m/m
				G	m/m
				H	m/m
				I	m/m
(2) ELECTRICAL REQUIREMENTS					
Z (Ω)	2200 ± 25%	TEST FREQ	100MHz		
RDC (Ω)	1.2 (MAX)	TEST FREQ			
IDC (mA)	200 (MAX)	TEST FREQ			
				APPROVED BY 吳載敏	
				CHECKED BY 張明德	
				DRAWN BY Vicky	

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-9819-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

TEST DATA

CUSTOMER :					DATE :				
PART NO: WCB3216-222Y-N					DWG.NO: SI2717803				
CUSTOMER PART NO :					CUST.DWG.NO :				
ITEM	Z (Ω)	RDC (Ω)	IDC (mA)						
FREQ	100MHz								
SPEC	2200 ± 25%	1.2 (MAX)	200 (MAX)						
1	2374	0.58	OK						
2	2388	0.58	OK						
3	2347	0.58	OK						
4	2347	0.58	OK						
5	2367	0.58	OK						
6	2278	0.58	OK						
7	2412	0.58	OK						
8	2461	0.58	OK						
9	2432	0.58	OK						
10	2347	0.58	OK						
X	2375.3	0.58							
R	183	0							
					APPROVED BY 吳載敏				
					CHECKED BY 張明德				
					DRAWN BY Vicky				

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-9819-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

WCB3216-222Y-N

